

A Whole New Era of Convergence Technology

World First & Biggest Screen of Smart Terminal Android 4.4.4 & Windows Embedded 8.1 Handheld with One Form Factor

Smart Terminal

BM180







Since 2004, Bluebird has planned, developed, and released the BM Series. Each evolution has been marked with bold and brilliant innovation.





BM170



Eyelluminate™ Display

What has been added?



- RFID
- Card Payment
- 0 Ruggedness
- 0 SAM Slot



Convergence Technology

AIDC + Payment Voice + Data





BM180



BP50

Smart Terminal





FMCG

- Pre-sales
- Direct store delivery
- Route accounting
- Asset management



Retail

- Productivity improvement (Voice + Data communication)
- Replenishment
- Customer counseling
- Mobile POS
- Hospitality



Healthcare

- Home nursing
- Point of care
- Clinical-test



Professional Service

- Work order
- E-Citation
- Asset management
- Location based service

SPECIFICATIONS

PERFORMANCE CHARACTERISTICS	
CPU	Dual Core Processor 1.5GHz
OS	Android 4.4.4,
	Windows Embedded 8.1 Handheld
MEMORY	1GB RAM/8GB ROM
INTERFACE	Docking connector; Micro USB
COMMUNICATION OPTIONS	
WWAN RADIO	Android Only, HSPA+/HSPA/UMTS, EDGE/GSM
WLAN RADIO	802.11 a/b/g/n
WPAN RADIO	Bluetooth Class II V4.0
DATA CAPTURE	
RFID	Optional, ISO14443A & B, ISO 15693
CAMERA	Main(Rear): 8 Mega Pixel Auto Focus Camera with LED Flash;
	Sub(Front): 1.3 Mega Pixel Front Camera
BARCODE SCANNER	2D Imager(1D/2D Barcode)
PAYMENT OPTIONS	
MSR	Optional, Integrated Magnetic Stripe Reader (MSR)
CONTACTLESS	Optional, MiFare, Felica
PHYSICAL CHARACTERISTICS	
DIMENSIONS (W X H X D)	77.95 x 152.1 x 16.7mm
WEIGHT	261g
DISPLAY	5-inch HD Eyelluminate™ Display; 1280 x 720 pixel
STANDARD BATTERY	Rechargable, 3.7V, 3,000mAh, Li-ion
BACKUP BATTERY	Internal Backup Battery for Hot-Swap Function, Li-polymer 55mAh
EXPANSION SLOT	Customer-accessible MicroSD slot for removable memory cards up to 32G
SIM/SAM SLOT	1SIM(WWAN Only) / 1SAM (for Contactless Applications)
AUDIO	VoWWAN; VoWLAN; PTT ready;
	Dual Microphone With Noise Cancellation
GPS	Integrated A-GPS
USER ENVIRONMENT CHARACTERISTICS	
DURABILITY	TankSmith™Technology;
	1.2m / 4ft drop per MIL-STD 810G; IP67 Sealing
OPERATING TEMP	-20°C to 60°C / -4°F to 140°F
STORAGE TEMP	-25°C to 70°C / -13°F to 158°F
HUMIDITIY	95% non-condensing
* Please ask your sales representative for the future-upgradable specs.	

 \ast Please ask your sales representative for the future-upgradable specs.

BR-F-BM180-EN-AA014

Copyright © 1995-2015 Bluebird Inc. All rights reserved. Bluebird Inc. is the designer and manufacturer of Bluebird handheld mobiles. Bluebird Logo is registered trademark of Bluebird Inc. Features and specifications are subject to change without prior notice.

Bluebird Inc. (Corporate Headquarters) SEITower 13~14F, 467-14, Dogok-dong, Gangnam-gu, Seoul, Korea (ROK) Phone. +82.70.7730.8000 Fax. +82.2.6499.2242

